CET (PG)-2018

Sr. No. : 110067

Booklet Series Code: A

Ans	wer Sheet.	The state of the s
	(In Figures)	- (In Words)
Roll No.		***************************************
O.M.R. Ans	wer Sheet Serial No.	
Signature of th	ne Candidate :	
Subject : N	M.C.A. (Master of C	Computer Applications)
Time: 90 minut	tes]	[Maximum Marks : 75
No of Owestian	751	(Total No. of Drinted Dones, 15

Important: Please consult your Admit Card / Roll No. Slip before filling your Roll Number on the Test Rooklet and

DO NOT OPEN THE SEAL ON THE BOOKLET UNTIL ASKED TO DO SO

INSTRUCTIONS:

 Write your Roll No. on the Question Booklet and also on the OMR Answer Sheet in the space provided and nowhere else.

Enter the Subject and Series Code of Question Booklet on the OMR Answer Sheet. Darken the corresponding bubbles with Black Ball Point/Black Gel Pen.

3. Do not make any identification mark on the Answer Sheet or Question Booklet.

4. To open the Question Booklet remove the paper seal gently when asked to do so.

 Please check that this Question Booklet contains 75 questions. In case of any discrepancy, inform the Assistant Superintendent within 10 minutes of the start of test.

 Each question has four alternative answers (A, B, C, D) of which only one is correct. For each question, darken only one bubble (A or B or C or D), whichever you think is the correct answer, on the Answer Sheet with Black Ball Point / Black Gel Pen.

If you do not want to answer a question, leave all the bubbles corresponding to that question blank in the Answer Sheet. No marks will be deducted in such cases.

 Darken the bubbles in the OMR Answer Sheet according to the Serial No. of the questions given in the Question Booklet.

 Negative marking will be adopted for evaluation i.e., 1/4th of the marks of the question will be deducted for each wrong answer. A wrong answer means incorrect answer or wrong filling of bubble.

For calculations, use of simple log tables is permitted. Borrowing of log tables and any other material is not allowed.

11. For rough work only the sheets marked "Rough Work" at the end of the Question Booklet be used.

12. The Answer Sheet is designed for computer evaluation. Therefore, if you do not follow the instructions given on the Answer Sheet, it may make evaluation by the computer difficult. Any resultant loss to the candidate on the above account, i.e., not following the instructions completely, shall be of the candidate only.

After the test, hand over the Question Booklet and the Answer Sheet to the Assistant Superintendent on duty.

- 14. In no case the Answer Sheet, the Question Booklet, or its part or any material copied/noted from this Booklet is to be taken out of the examination hall. Any candidate found doing so, would be expelled from the examination.
- 15. A candidate who creates disturbance of any kind or changes his/her seat or is found in possession of any paper possibly of any assistance or found giving or receiving assistance or found using any other unfair means during the examination will be expelled from the examination by the Centre Superintendent/Observer whose decision shall be final.
- Telecommunication equipment such as pager, cellular phone, wireless, scanner, etc., is not permitted inside the examination hall. Use of calculator is not allowed.

1.	What is the 94th term of the fo			
	(A) 8	(B)	9 9 9 9	
		(D)	11	
	(C) 10	(D)	11	
2.	Find the wrong term/element	of the series giv	en below, i.e., the term/ele	ment that does not
	conform to the rule used in wr	iting the series	of Land is did a column	
	2, 5, 11, 23, 47, 96, 191, 3	183		
	(A) 191	(B)	23	
	(C) 96	(D)	47	
3.	How many digits are there in 3	316 when it is ex	pressed in the decimal for	m ?
	(A) Three	(B)	Six	
18	(C) Seven	(D)	Eight	
4.	If MCA14 and MCA15 are five	e digit number	s such that their sum = 157	229, then M +C+A
**	would be:	ungit number		
	(A) 15	(B)	21	
	(C) 25	(D)	72	
5.	If the product of three consecu	tive positive in	tegers is equal to their sum	then what would
3.	be the sum of their squares?	tive positive in	regers is equal to their sum	, then what would
	(A) 9	(B)	14	
	(C) 16		24	
	(C) 10	(D)	1	
6.	If $P + \frac{1}{Q} = 1$ and $Q + \frac{1}{R} = 1$, then	what is POR?	wen whele the solutor	
	Q rand Q R			
	(A) -1	(B)	2	
	(C) -2	(D)	Cannot be calculated	
	(-)	4989500		
7.	If $42 \rightarrow 26$, $71 \rightarrow 78$, $33 \rightarrow 16$, th	en 62 →		
	(A) 68	(B)	54	
	(C) 38	(D)	39	102 (10
8.	The dimensions of a floor are 1	8×24. What is	the smallest number of ide	entical square tiles
	that will pave the entire floor w			Commence of the Commence of th
19	(A) 6	(B)	24	
	(0) 0	(D)	12	

9.	If R is on the right of L and L is on the left of K, then what can you say about the					
	follo	owing statements ?				
		X: K is on the right of L				
		Y: K is on the right of R				
	(A)	Only X is valid	(B)	Only Y is valid		
	(C)	Both X and Y are valid	(D)	Neither X nor Y is valid		
10.	Aw	oman starts shopping with Rs.	. P and Q P	aise, spends Rs. 3.50 and is left with Rs. 2Q		
	and	2P Paise. The amount she star	ted with is	ASS THE MEST STATISTICS.		
	(A)	Rs. 48.24	(B)	Rs. 28.64		
	(C)	Rs. 32.14	(D)	Rs. 23.42		
11.	The	symmetric difference of sets	A= {1, 2, 3,	4, 5, 6, 7, 8} and B={1, 3, 5, 6, 7, 8, 9} is:		
		{1, 3, 5, 6, 7, 8}		{2, 4, 9}		
	(C)	{2, 4}	(D)	{1, 2, 3, 4, 5, 6, 7, 8, 9}		
12.	Let	$M = \{(a_1, a_2, a_3) : a_1 \in \{1, 2, 3, 4\}$	}, a,+a,+a	= 6}. Then the number of elements in M is :		
	(A)		-			
	(C)	10	(D)	12		
13.	How	many 5-digit telephone numb	ers can be	constructed using the digits 0-9 if each		
	num	ber starts with 67 and no digit	appears m	ore than once ?		
	(A)	60	(B)	120		
	(C)	248	(D)	336		
14.	The number of words that can be formed by permuting the letters of 'MATHEMATICS'					
	is:		- 6	(III)		
	(A)	5040	(B)	11!		
	(C)	8!	(D)	4989600		
15.	The	coefficient of x5 in the expansi	ion of (x +3)8, is given by :		
	(A)	504	(B)	1512		
	(C)	168	(D)	1008		
16.	IfA	and B are two arbitrary events	and P(X)	means probability of an event X, then :		
	(A)	$P(A \cap B) = P(A)P(B)$	(B)	$P(A \cup B) = P(A) + P(B)$		
	(C)	$P(A \cup B) \le P(A) + P(B)$	(D)	$P(A B) = P(A \cap B) + P(B)$		

17. If E and F are events such that $P(E) = \frac{1}{4}$, $P(F) = \frac{1}{2}$ and $P(E \text{ and } F) = \frac{1}{8}$, then

P(not E and not F) equals :

(A) $\frac{7}{8}$

(B) $\frac{5}{8}$

(C) $\frac{3}{8}$

- (D) $\frac{1}{8}$
- 18. The probability that a ticketless traveller is caught during a trip is 0.1. If the traveller makes 4 trips, the probability that he/she will be caught during at least one of the trips is :
 - (A) 1-(0.9)4

(B) (1-0.9)⁴

(C) 1-(1-0.9)4

(D) (0.9)4

- 19. The unit digit of 2¹⁰⁰ is :
 - (A) 2

(B)

(C) 6

(D)

- 20. The number $\sqrt{2}e^{i\pi}$ is:
 - (A) a rational number

(B) a transcendental number


(C) an irrational number

- (D) an imaginary number
- 21. The number of positive divisors of 50000 is:
 - (A) 20

(B) 30

(C) 40

- (D) 50
- 22. With reference to the right-angled triangle shown, what is the value of sin(A)cos(B) + cos(A)sin(B)?



(A) $-\frac{1}{2}$

(B) 1

(C) $\frac{1}{2}$

(D) -1

- 23. cos(4x) equals :
 - (A) $1 8 \sin^2(x) \cos^2(x)$

- (B) $1 8\sin^3(x)\cos^3(x)$
- (C) 32cos4 (x)-18 cos2(x)-1
- (D) $1 8 \sin^4(x) \cos^4(x)$

- 24. If $P = \sin^2 x + \cos^4 x$, then for all real x:
 - (A) $\frac{3}{4} \le P \le \frac{13}{16}$

(B) $\frac{3}{4} \le P \le 1$

(C) $\frac{13}{16} \le P \le 1$

- (D) 1≤P≤2
- 25. If f(x) is a real valued function such that:

2f(x) + 3f(-x)=15 - 4x for every $x \in \Re$, then f(2) is:

(A) -15

(B) 22

(C) 11

- (D) 15
- 26. If x is real then the least value of the expression $\frac{x^2 6x + 5}{x^2 + 2x + 1}$ is:
 - (A) $-\frac{1}{3}$

(B) $-\frac{1}{6}$

(C) $-\frac{1}{9}$

(D) $-\frac{1}{12}$

- 27. $\lim_{n\to\infty} \left(1-\frac{1}{n^2}\right)^n$ equals:
 - (A) 1

(B) -1

(C) e-2

- (D) e-1
- 28. Let $f: \mathbb{R} \to \mathbb{R}$ be defined by $f(x) = \begin{cases} \frac{\sin x}{x} & \text{if } x \neq 0 \\ 1 & \text{if } x = 0 \end{cases}$

Then

(A) f is not continuous

(B) f is continuous but not differentiable

(C) f is differentiable

- (D) f is not bounded
- 29. What is the area of the triangle bounded by the lines y = 2x, y = -2x and y = 6?
 - (A) 36

(B) 18

(C) 12

- (D) 24
- 30. The value of P for which the points (P,-1), (2,1) and (4,5) are collinear, is:
 - (A) 0

(B)

(C) 2

(D) 3

- 31. A point on the x-axis, which is equidistant from the points (7, 6) and (3, 4) is given by :
 - (A) $\left(\frac{11}{2}, 0\right)$

(C) $\left(\frac{15}{2}, 0\right)$

- 32. The angle between the x-axis and the line joining the points (3,-1) and (4,-2), is given by :
 - 45° (A)

135° (B)

(C) 225°

- (D) 90°
- What can you say about the following two statements? 33.
 - S₁: The relation f defined by $f(x) = \begin{cases} x^2 & \text{, } 0 \le x \le 3 \\ 3x & \text{, } 3 \le x \le 10 \end{cases}$ is a function.
 - S₂: The relation g defined by $g(x) = \begin{cases} x^2 & , & 0 \le x \le 2 \\ 3x & , & 2 \le x \le 10 \end{cases}$ is a function.
 - (A) Only S, is true

- (C) Both S, and S, are true
- (B) Only S₂ is true
 (D) Neither S₁ nor S₂ is true
- Three vertices of a parallelogram ABCD are A(3,-1,2), B(1,2,-4) and C(-1,1,2). Find 34. the coordinates of the fourth vertex.
 - (A) (2, -2, 8)

(C) (1, -2, -8)

- (B) (-2, 1, 8) (D) (1, -2, 8)
- The mid-point of the arc of a semicircle is connected by two straight lines to the ends of 35. the diameter as shown. What is the ratio of the shaded area to the area of the triangle?



(A) $\frac{\pi}{2} - 1$

(B) $\frac{\pi - 1}{2}$

- (D) $2\pi \frac{1}{4}$
- A function $g: \Re \to \Re$ is such that g(0) = 0 and $\left| \frac{d}{dx} g(x) \right| \le 5$ for all x. We can conclude that g(1)B6.

is in:

(A) (5, 6)

(B) [-5,5]

(C) (-∞, -5)∪(5,∞)


(D) [-4,4]

- 37. A circle drawn in the x-y coordinate plane passes through the origin and has chords of lengths 8 units and 7 units on the x and y axes, respectively. The coordinates of its centre are:
 - (A) (8, 7)

(B) (-8, 7)

(C) (-4, 3.5)

- (D) (4, 3.5)
- In the figure given below, the areas of the inner circle and the shaded ring are equal. 38. The radii r, and r, are related by :



(A) $r_1 = r_2$

(B) $r_1 = r_2 \sqrt{2}$ (D) $r_1 = 2r_2$

(C) $r_1 = r_2 \sqrt{3}$

- 39. If square matrix A is skew-symmetric matrix, then AT, the transpose of A, is equal to:
 - (A) Diagonal matrix

(C) Zero matrix

- If A is an invertible matrix whose inverse is the matrix $\begin{bmatrix} 3 & 4 \\ 5 & 6 \end{bmatrix}$, then A is the matrix: 40.
 - (A) $\begin{bmatrix} 6 & -4 \\ -5 & 3 \end{bmatrix}$

(C) $\begin{bmatrix} -3 & 2 \\ 5/2 & -3/2 \end{bmatrix}$

- (D) [1/3 1/4] 1/5 1/6]
- Let $\mathbf{M} = \begin{bmatrix} 1 & 1 & 0 \\ -1 & 1 & 2 \\ 2 & 2 & 0 \\ 1 & 0 & 1 \end{bmatrix}$. Then the rank of \mathbf{M} is equal to:

42. If $\omega(\neq 1)$ is a cube root of unity, and $(1 + \omega)^7 = A + B\omega$. Then (A, B) equals:

(A) (1, 1)

(B) (1,0)

(C) (-1, 1)

(D) (0, 1)

43. If $z_1 = 2 - i$, $z_2 = 1 + i$, and $i = \sqrt{-1}$, then $\left| \frac{z_1 + z_2 + 1}{z_1 - z_2 + 1} \right|$ equals:

(A) 2

(B) 3

(C) √2

(D) \sqrt{3}

44. The multiplicative inverse of the complex number 4-3i, where $i=\sqrt{-1}$, is:

(A) $\frac{4}{25} + \frac{3}{25}i$

(B) $\frac{4}{25} - \frac{3}{25}i$

(C) $\frac{4}{5} + \frac{3}{5}i$

(D) $\frac{4}{5} - \frac{3}{5}i$

45. The variance for the data: 6, 7, 10, 12, 13, 4, 8 and 12 is:

(A) 9

(B) 9.25

(C) 8

(D) 8.25

46. In an arithmetic progression, the first term is 2 and the sum of the first five terms is one-fourth of the next five terms, then 20th term is equal to:

(A) -25

(B) 25

(C) 112

(D) -112

47. The 5th, 8th, and 11th terms of a geometric progression are P, Q and R respectively. Then:

(A) $Q^2 = PR$

(B) $R^2 = PQ$

(C) P2 = QR

(D) $Q = \frac{P+R}{2}$

48. The sum to 'n' terms of the series $\frac{1}{1\times 2} + \frac{1}{2\times 3} + \frac{1}{3\times 4} + \frac{1}{4\times 5} + \dots$ is:

(A) $\frac{1}{n+2}$

(B) $\frac{1}{n+1}$

(C) $\frac{n}{n+2}$

(D) $\frac{n}{n+1}$

	, ,		
Sil	n ² x - cos ² x in ² x cos ² x	is a con	nstant of integration):
31.00	tan(x) + cot(x) + C		tan(x) + cosec(x) + C
(C)		3.5	tan(x) + cosec(x) + C tan(x) + sec(x) + C
(C)	$-\tan(x) + \cot(x) + C$	(D)	tan(x) + sec(x) + C
Wh	ich of the following differential equ	ations	has $y = C_1 e^x + C_2 e^{-x}$ as the general solution
(C,	and C2 are constants)		
	d ² y		d ² y
(A)	$\frac{d^2y}{dx^2} + y = 0$	(B)	$\frac{d^2y}{dx^2} - y = 0$
(C)	$\frac{d^2y}{dx^2} + 1 = 0$	(D)	$\frac{d^2y}{dx^2} - 1 = 0$
(0)	dx ²	(D)	dx ²
Fine	d out the correct meaning of the id	liomati	c expression : 'To cry wolf' among the giv
	ons:		
(A)	To give false alarm	(B)	To run away from work without permission
(C)	To turn pale	(D)	To listen eagerly
Sele	ct the correct verb :		
	Besides his parents, he als	o prese	ent at the function.
(A)	is	(B)	was
(C)	has	(D)	has been ·
Ider	ntify the correct preposition :		
	The thunder was accompanied	al	heavy rain.
(A)	from	(B)	by
(C)	up	(D)	through
Give	e one word substitute :		
	A well experienced person.		
(A)	Wise man	(B)	Intelligent
(C)	Old man	(D)	Veteran
Filli	in the blank with suitable word :		
	Barking dogs bite.		
(A)	regularly	(B)	rarely
(C)	seldom	(D)	frequently

. 00	ruei	ntily the indirect speech	for the sentence :	建筑型山地区产品,从中国建筑和市场,以中市市 和工
		The teacher said to m	e, "Be regular and	d learn your lesson daily".
	(A)	The teacher told me that	to be regular and le	earn my lesson daily.
	(B)	The teacher said to me re	egular and learn my	lesson daily.
	(C)	The teacher advised me	to be regular and le	arn my lesson daily.
	(D)	The teacher request me		
			•	(ii) a manage of the party process of the
7.	Ider	ntify the synonym of the	given word :	
		Zest		
	(A)	Pleasure	(B)	Distaste
	(C)	Flop	(D)	Encircles
8.	Filli	in the blank with suitable	e conjunction :	
		He will never pass		ry.
	(A)	However	(B)	Whatever
	(C)	Never	(D)	Whenever
9.	Filli	in the blanks with the mo	ost annronriate w	and :
				losses, the nation's largest bank, the
			The state of the s	nent of some of its ATM's.
	(A)	generating, resource	(B)	generating, close
	(C)	incurring, outsource	(D)	reporting, tighten
				101
0.	Iden	tify the antonym of the	given word :	1
		Embellish		
	(A)	Sacrifice	(B)	Disfigure
	(C)	Forfeit	(D)	Indict
1.	Ifa	magnetic disc has 100 cy	vlinders, each con	taining 10 tracks of 10 sectors, and each
	secto	or can contain 128 bytes	, what is the maxi	mum capacity of the disk in bytes?
	(A)	128,000	(B)	12,800,000
	(C)	12,800	(D)	1,280,000
2.	Wha	at characteristic of RAM	I memory makes i	t not suitable for permanent storage ?
	(A)	too slow	(B)	unreliable
	(C)	it is volatile	(D)	too bulky

63.	The	The binary representation of 15 is :					
	(A)	01010	(B)	01111			
	(C)	10011	(D)	00101			
4.	Cac	he memory refers to :		Control of the Contro			
	(A)	cheap memory that can be plugged	into the	mother board to expand main memory			
	(B)	fast memory present on the process	sor chip	that is used to store recently accessed data			
	(C)	a reserved portion of main memory	used to	save important data			
	(D)	a special area of memory on the chi	p that is	used to save frequently used constants			
65.	Whi	ch of the following programming	langua	ges has an instruction set closest to the			
	close	est to the machine language of a c	ompute	r ?			
	(A)	BASIC Programming Language	(B)	Fortran Programming Language			
	(C)	Assembly Language	(D)	C++ Programming Language			
66.	The	The kind of interface with icons and menu bars for user to point at with mouse instead of					
	ente	ring commands for operating syst	tem to p	erform certain tasks is called :			
	(A)	GUI	(B)	Command line interface			
	(C)	User friendly programming	(D)	ASCII			
67.	A_	A is a web site like any other, but it is intended to offer personal opinions of people					
	on th	neir hobbies, interests, commenta	ries, ph	oto, etc.			
	(A)	Protocol	(B)	Blog			
	(C)	Webpage	(D)	Journals			
8.		_ is distributed computing over a	networ	k, and involves a large number of computers			
	conn	connected via real-time communication network such as the Internet.					
	(A)	Cloud Computing	(B)	Thin Client Computing			
	(C)	Fat Client Computing	(D)	Dumb terminal Computing			
69.		protocol defines how messages are formatted and transmitted, and what actions					
	Web	Web servers and browsers should take in response to various commands.					

	(A)	FTP	(B)	TCP/IP			
		FTP HTTP	(B) (D)	TCP/IP SMTP			
70.	(A) (C)		(D)	SMTP			
70.	(A) (C)	НТТР	(D)	SMTP			

- 71. Microsoft introduced the taskbar in Windows 95 in 1995 and the feature has been a defining aspect of Microsoft Windows and many other operating systems and desktop environments since. Task bar in Windows can be placed at _____.
 - (A) Bottom edge of your screen only
 - (B) Top edge of your screen only
 - (C) Bottom edge or Top edge of your screen only
 - (D) Any edge of your screen

For the next TWO questions, consider the following worksheet:

	A	В	C	D
1	No.	Test 1	Test 2	Total
2	1	80	60	140
3	2	70	50	120
4	3	40	30	70
5	4	30	32	62
6	5	85	85	170
7	6	65	80	145
8	7	72	96	168
9	8	25	32	57
10	9	90	78	168
11	10	25	40	65

72. The formula = IF (B10 + C10 > 100, IF (D10 > 100, "A", "B"), "C") in cell D12 will result in:

(A) A

i)

(B) B

(C) C

(D) AC

73. The formula = SUMIF(B2:B11, "<50", D2:D11) in cell D13 will result in :

(A) 120

(B) 254

(C) 90

(D) 244

774. The acronym "DVD" stands for:

- (A) Dynamic viewable disc
- (B) Decompressed video disk

(C) Digital versatile disc

(D) Digital video drive

75. WAV file format is associated with what type of files?

(A) Video

(B) Sound

(C) Image

(D) Word Document